



SAFETY DATA SHEET

SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : TERNAL® EV

1.2. Relevant identified uses of the substance or mixture and uses advised against

Hydraulic binder for concretes and dry-mix mortars manufacturing

1.3. Details of the supplier of the safety data sheet

Registered company name : KERNEOS INC.

Address : 1316 Priority Lane.VA 23324.Chesapeake.USA.

Telephone : +1 757 284 3200. Fax : +1 757 284 3300.

sds@kerneos.com

www.kerneosinc.com

1.4. Emergency telephone number : +1 800 424 9300.

Association/Organisation : Chemtrec for USA and Canada.

SECTION 2 : HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

HCS compliant.

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

2.2. Label elements

HCS compliant.

No labelling requirements for this mixture.

2.3. Other hazards

No data available.

SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

No substance satisfies the criteria specified in annexe D, table D.1 of the HCS.

Composition :

Cement Alumina Chemicals CAS : 65997-16-2 EC : 266-045-5 Reach : Exempt

Classification HCS : not classified

Content : >98.5%

Other data :

Does not contain any detectable quantities of free lime or free crystalline silica (such as quartz, tridymite or cristobalite)

SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1. Description of first aid measures

In the event of exposure by inhalation :

In case of exposure to high concentrations of dust : move the affected person away from the contaminated area and into the fresh air

In the event of splashes or contact with eyes :

Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open.

If there is any redness, pain or visual impairment, consult an ophthalmologist.

In the event of splashes or contact with skin :

Watch out for any remaining product between skin and clothing, watches, shoes, etc.

Wash with soap

In the event of swallowing :

Seek medical attention, showing the label.

4.2. Most important symptoms and effects, both acute and delayed

None, to our knowledge

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically

SECTION 5 : FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media

Non flammable

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)
- carbon dioxide (CO₂)

5.3. Advice for firefighters

Due to the toxicity of the gas emitted on thermal decomposition of the products, fire-fighting personnel are to be equipped with autonomous insulating breathing apparatus.

SECTION 6 : ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Retrieve the product by mechanical means (sweeping/vacuuming) : do not generate dust.

6.4. Reference to other sections

Sections 7, 8 & 13

SECTION 7 : HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

7.1. Precautions for safe handling

Always wash hands after handling.

Fire prevention :

Prevent access by unauthorised personnel.

Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

Keep the container tightly closed in a cool, well ventilated place

Keep the container away from dampness

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits :

Particles not otherwise specified/classified

ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010) : Respirable particles TWA =3 mg/m³

Inhalable particles TWA=10mg/m³

USA / OSHA PEL (Occupational Safety and Health Administration, Permissible Exposure Limits) : Respirable particles TWA=5mg/m3 Total particles TWA=15mg/m3

8.2. Exposure controls

Personal protection measures, such as personal protective equipment

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE) :



Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.

Before handling powders or dust emission, wear mask goggles in accordance with standard EN166.

- Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Recommended properties :

- Impervious gloves in accordance with standard EN374

- Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

- Respiratory protection

Avoid breathing dust.

Type of FFP mask :

Wear a disposable half-mask dust filter in accordance with standard EN149.

Category :

- FFP3

SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

General information :

Physical state :	Powder or dust.
Apparent bulk density (Loose packed) :	1000 - 1200 kg/m3
Odour:	Odourless
Color:	Brown

Important health, safety and environmental information

pH (aqueous solution) :	11.5 - 12 (10%)
pH :	Not stated.
Boiling point/boiling range :	Not relevant.
Flash point interval :	Not relevant.
Vapour pressure (50°C) :	Not relevant.
Density :	2.9 - 3.1 g/cm3
Water solubility :	Partially soluble. <2%
Melting point/melting range :	Not specified.
Self-ignition temperature :	Not specified.
Decomposition point/decomposition range :	Not specified.

9.2. Other information

No data available.

SECTION 10 : STABILITY AND REACTIVITY

10.1. Reactivity

In the presence of water, calcium aluminates react chemically and harden to form stable hydrates

10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

10.3. Possibility of hazardous reactions

None under normal conditions.

10.4. Conditions to avoid

Avoid :

- formation of dusts
- humidity

10.5. Incompatible materials

None, to our knowledge

10.6. Hazardous decomposition products

The thermal decomposition may release/form :

- carbon monoxide (CO)
- carbon dioxide (CO₂)

SECTION 11 : TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

No data available.

11.1.1. Substances

No toxicological data available for the substances.

Skin corrosion/skin irritation :

CEMENT, ALUMINA, CHEMICALS (CAS: 65997-16-2)

- Corrosivity :

No observed effect - Rabbit - OECD 404

Serious damage to eyes/eye irritation :

CEMENT, ALUMINA, CHEMICALS (CAS: 65997-16-2)

- Corneal haze & Iritis :

Average score < 1 - Rabbit - 72h - OECD 405

- Conjunctival redness & Conjunctival oedema :

Average score < 2 - Rabbit - 72h - OECD 405

Specific target organ systemic toxicity - single exposure :

Dust from this product may cause irritation to the respiratory tract.

11.1.2. Mixture

Skin corrosion/skin irritation :

Not irritating

Serious damage to eyes/eye irritation :

Dust may cause slight irritation to the ocular mucous membranes due to the presence of a foreign body.

Not irritating

Specific target organ systemic toxicity - single exposure :

Dust from this product may cause irritation to the respiratory tract

SECTION 12 : ECOLOGICAL INFORMATION

The product must not be allowed to run into drains or waterways.

12.1. Toxicity

12.1.1. Substances

CEMENT, ALUMINA, CHEMICALS (CAS: 65997-16-2)

- Fish toxicity :

CL50 > 100 mg/l - NOEC > 100 mg/l

Oncorhynchus mykiss - 96 h - OECD 203

- Crustacean toxicity :

CE50 = 6.6 mg/l - NOEC = 1.8 mg/l

Daphnia magna - 48 h - OECD 202

- Algae toxicity :

CEr50 > 5.6 mg/l - NOEC = 3.2 mg/l

Pseudokirchnerella subcapitata - 72 h - OECD 201

12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

12.2. Persistence and degradability

After hydration (several hours or several days under humid conditions), the product is stable in soil and in water, with a negligible mobility of its components

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

The mixture does not satisfy the PBT or vPvP criteria in accordance with annexe XIII of the REACH regulations EC 1907/2006.

12.6. Other adverse effects

No data available.

SECTION 13 : DISPOSAL CONSIDERATIONS

The appropriate waste management of the mixture and/or its container must be determined in accordance with local regulations.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging :

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

SECTION 14 : TRANSPORT INFORMATION

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2015 - IMDG 2014 - ICAO/IATA 2015).

SECTION 15 : REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

The following regulations have been used:

- OSHA Hazard Communication Standard 29 CFR 1910.1200

- Container information:

No data available.

- Particular provisions :

Canada : Domestic or Non-Domestic Substance List (DSL or NDSL) : all substances are registered in the DSL or NDSL inventory

- Standardised American system for the identification of hazards presented by the product in view of emergency procedures (NFPA 704) :

NFPA 704, Labelling: Health=0 Inflammability=0 Instability/Reactivity=0 Specific Risk=none



- Clean Water Act : Toxic Pollutants (CWA 307A)

Unlisted

- Clean Water Act : Hazardous Substances (CWA 311)

Unlisted

- Clean Water Act : Hazardous Substances (CWA 304b)

Unlisted

- Clean Water Act : Priority Pollutants (CWA Priority)

Unlisted

- Clean Air Act : Hazardous Air Pollutants (CAA 112(b) HAP (188))

Unlisted

- Clean Air Act : Organic Hazardous Air Pollutants National Emission Standards (CAA 112(b) HON (387))

Unlisted

- Clean Air Act : Protection of Stratospheric Ozone (CAA 602)

Unlisted

- SARA 110

Unlisted

- SARA 302/304

Unlisted

- SARA 313

Unlisted

- California proposition 65 : Chemicals known to the state to cause cancer or reproductive toxicity

Unlisted

- Massachusetts : Right to Know

Unlisted

- New Jersey : Right to Know

Unlisted

- Pennsylvania : Hazardous Substance

Unlisted

- Rhode Island : Hazardous substance list

Unlisted

- TSCA (Toxic Substances Control Act) - USA

CAS

Name

68611-44-9

SILANE, DICHLORODIMETHYL, REACTION PRODUCT WITH SILICA

65997-16-2

CEMENT, ALUMINA, CHEMICALS

15.2. Chemical safety assessment

No data available.

SECTION 16 : OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Abbreviations :

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

PBT: Persistent, bioaccumulable and toxic.

vPvB : Very persistent, very bioaccumulable.

HCS : Hazard Communication standard (OSHA).